

INTIMIDATOR GCK1 1000 CC SERIES - AVAILABLE IN STAGE 1, STAGE 2, OR STAGE 3 (VARIOUS COLORS AVAILABLE ALSO)

2018 INTIMIDATOR GCK1 STAGE 2 - 1000 cc UTV

MADE IN THE USA - BATESVILLE, ARKANSAS

Price: \$13699

THE DOOR (IN STOCK DEMO UNIT ONLY) SAVE THOUSANDS NOW
STORE DEMO UNIT (only 128 miles on it) COMES WITH FULL FACTORY
WARRANTY

REG MSRP \$17,999 plus the added options

INCLUDES THE FOLLOWING UPGRADES & ADD ONS
UPGRADE PKG - STAGE 2 / ADDED UPGRADE \$2K
FRONT & REAR RECEIVERS - ADDED OPTIONS
ROOF - ADDED OPTION
HALF DOORS - ADDED OPTION
3 PASSENGER - STANDARD
ELECTRONIC DUMP BED - PUSH BUTTON - OPTIONAL UPGRADE
ELKA SHOCKS - SUSPENSION UPGRADE
POWER STEERING - ADDED OPTION
GUN RACK - ADDED OPTION

STANDARD EQUIPMENT:

Core Components

FRAME Powder Coated Fusion-Bonded Solid Steel Bridge Frame
BODY Automotive Quality Acrylic Plastic
FRONT TIRES 28x10.5x14 - 8 ply Radial
REAR TIRES 28x10.5x14 - 8 ply Radial
WHEELS 14" Wheels
FRONT & REAR SUSPENSION Dual A - Arm Independent
STEERING Rack and Pinion w/Electronic Assisted Power Steering
BRAKING SYSTEM 4 Wheel Hydraulic Disc
PARKING SYSTEM 2 Wheel Gear Lock
SEATING 3 Passenger Forward Facing Occupant Bench Seat

BED DUMP Electric Dump
CARGO BED SPACE 35x53x13
AUXILIARY POWER Double USB Port
HITCH 2" Receiver Standard
FUEL CAPACITY 9 Gallons

WARRANTY 1 year Bumper to Bumper / extended wrty available (xtra) up to 4 years

Drive System
ENGINE TGB 1000cc
BORE X STROKE 92mm x 75.0mm
COMPRESSION RATIO 10.2:1
ENGINE DISPLACEMENT 997cc EFI Liquid Cooled
CARBURETOR Electronic Fuel-Injected
FINAL DRIVE Shaft Driven
AUTOMATIC CVT Low/Hi/Neutral/Reverse/Park
DRIVE SYSTEM 2WD, Electronic 4WD Selection
COOLING Liquid Cooling
STARTING Electric Start
FUEL TYPE 87 Octane Gasoline (10% Ethanol Max) 91+ Recommended
ENGINE OIL TYPE Intimidator SYN 5W-40

SPEED Up to 60+ mph

Measurements
LENGTH 122"
WIDTH 64"
HEIGHT 80.5
WHEELBASE 82
FRAME CLEARANCE 12"
SUSPENSION TRAVEL 10" Total Suspension Travel
CURB WEIGHT 1,850 lb
GVWR 3,300 lb
CARGO BED CAPACITY 1,000 lb
VEHICLE PAYLOAD 1,450 lb
TOWING CAPACITY 2,500 lb

Safety
PROTECTION 1.75" Diameter Tubing Five Piece ROPS
FRONT PROTECTION 1.75" Diameter Tubing Bumper/Brush Guard
PASSENGER RESTRAINTS 3 Point DOT Approved Restraint Belts
SHIFT INDICATOR 5 Position Gear Indicator

HEADLIGHTS High and Low Beam LED Headlights
BRAKE/TAIL LIGHT Standard on Every Unit